



How can we help? A training needs assessment for non-health professionals and volunteers working with asylum seekers and refugees

Luísa Teixeira-Santos^{1,2} · Elzbieta Bobrowicz-Campos³ · Wilson Abreu^{1,4}

Received: 28 September 2023 / Accepted: 13 February 2024 / Published online: 26 February 2024
© The Author(s) 2024

Abstract

Aim To understand the perceptions of volunteers and non-health professionals who worked, work, or will work with refugees and asylum seekers, about their training needs and to know if these perceptions are influenced by the training and/or experience background.

Subject and methods A cross-sectional study was conducted. Ninety-one worldwide participants completed the online survey. The survey consisted of a sociodemographic questionnaire collecting data on previous working and training experience, and four experimental questionnaires assessing organizational management-, cultural abilities-, health-, and communication-related needs.

Results Approximately 80% of participants had previous working experience with asylum seekers and refugees, although only 48% had some kind of training in this area. The training received was quite diversified in terms of format and content. Of the total sample, 74% agreed that volunteers should undergo training to enhance their ability to assist vulnerable populations and cope with stressful situations. All the participants, regardless of training background or working experience with asylum seekers and refugees, considered it important that training programs included content related to organizational management, cultural, communication, and health.

Conclusion Non-health professionals and volunteers receive limited training and possess no disciplinary knowledge to perform their work, even though it has a huge social impact. It is crucial to develop more inclusive programs, capable of being used and adapted to different contexts where people are working with asylum seekers and refugees. Future studies could explore the effectiveness of innovative training methods and compare the training needs between non-health and health professionals.

Keywords Mental Health · Training Programs · Educational · Nursing · Refugees · Asylum seeker

Introduction

More than 108 million individuals worldwide have been forcibly displaced. Of those, more than 35 million are refugees, 62 million internally displaced people and 5.4 million asylum seekers (United Nations High Commissioner for Refugees [UNHCR] 2023).

Nearly 83% of refugees are hosted by low- and middle-income countries, which puts a strain on host communities and resources (European Commission 2022). The UNHCR works with non-governmental organizations (NGOs) to guarantee the AS&R access to basic needs (UNHCR 2017). Most of the non-professional NGOs are composed of people without educational or specific skills to work with vulnerable populations (European Economic and Social Committee

✉ Luísa Teixeira-Santos
luisa_sants@hotmail.com

¹ Center for Health Technology and Services Research, Rua Dr. Plácido da Costa, 4200-450 Porto, Portugal

² ICBAS, School of Medicine and Biomedical Sciences, University of Porto, Porto, Portugal

³ Centre for Psychological Research and Social Intervention at the ISCTE - University Institute of Lisbon, Lisbon, Portugal

⁴ Nursing School of Porto, Porto, Portugal

2017). People without proper training do not have the capacity to evaluate the safety threats, potential mitigation strategies, and personal risk tolerance. Untrained people are not prepared to deal with illness, injury, disability, or death (Bailey and Kaplan 2022). Even if they are doing simple tasks, non-health professionals and volunteers (NHPV) face the major challenge of dealing with the asylum seekers and refugees (AS&R) suffering as they are exposed to their traumatic pre-, during, and post-migration trajectories (Wirth et al. 2019). NHPV intend to help AS&R in post-migration scenarios, when they are facing conditions that contribute to experiences of post-migration stress (Gleeson et al. 2020). However, lack of experience or training may strongly lead to post-traumatic stress disorder in unprepared volunteers (Aldamman et al. 2019; Jaffe et al. 2012) increasing the volunteers' vulnerability to anxiety, burnout, depressive feelings, apathy, callousness, self-destructive behaviour, interpersonal conflict, over-involvement with AS&R and secondary traumatic stress (Bundesministerium für Familie Senioren, Frauen und Jugend 2017; Apostolidou 2016; Guhan and Liebling-Kalifani 2011). The psychological distress that volunteers may suffer can variate according to the previous training (Deering 1996; Birck 2001; Collins and LONG 2003).

The trainings available are dispersed mostly in NGO websites, developed based on their front-line expertise and mainly focused on one or two topics (Teixeira-Santos et al. 2022, 2023). Therefore, it is crucial to understand the NHPV' training needs to develop and improve training programs and make them useful. Even the NGOs applying the selection criteria and giving them basic training to work in a project/mission, does not mean that it suits their training needs.

This study aims to understand the perception of NHPV who worked, work or will work with AS&R, about their training needs in organizational management, communication, cultural abilities, and health domains through four experimental questionnaires developed for the purpose of this study. It also intends to know if training or experience background can influence the perception about the training needs for their work role.

Methods

This study is part of the APT4U2, a PhD project, funded by the Portuguese Foundation for Science and Technology (FCT), that aim to develop, validate, and assess feasibility, adequacy, and meaningfulness of the APT4U2 program, a mental health and well-being training program for NHPV to work with AS&R. The study employed a cross-sectional design based on a self-administered online survey. Data was collected between April–June of 2022. The project was

approved by the Ethics Committee of the Health Sciences Research Unit: Nursing (Opinion n° 0 P742 12/2020) and each participant provided an informed consent before engaging in the study. Participants did not receive any type of incentive.

Study sample

The study targeted worldwide NHPV, aged ≥ 18 years, who had worked, are working, or intend to work on projects involving asylum seekers and/or refugees. Individuals with educational backgrounds in health or mental health were excluded, as the study aimed to explore the training needs of laypersons in healthcare matters, encompassing mental health.

Instruments

The participants were invited to complete the online survey (sociodemographic questionnaire and four questionnaires as a training needs assessment). The sociodemographic questionnaire was divided into two parts, the first focused on the participants' general characteristics, and the second was dedicated to their training and work experiences with AS&R. The training needs assessment comprised a total of 49 items organized into four questionnaires, namely 16-item Organisational Management Questionnaire, 16-item Cultural Ability Questionnaire, 9-item Health Questionnaire, and 8-item Communication Questionnaire. The questionnaire items were developed based on literature review and theoretical models, including the UNHCR competency framework (United Nations 2017a, b), the Giger and Davidhizar Transcultural Assessment Model (Giger and Davidhiza 1999), and the Campinha-Bacote's model of cultural competence (Campinha-Bacote 2002). A multidisciplinary focus group of NHPV with work experience with the population of interest in multicultural contexts was undertaken to establish content validity of the questionnaires' items. Based on the feedback provided, the questionnaires' items were revised and refined whenever necessary. A previous exploratory factor analysis revealed a presence of three components (Accountability & Management; Learning Share; and Team Collaboration) in the *Organisational Management Questionnaire*, two components (Knowledge & Awareness; and Encounter & Engagement) in the *Cultural Ability Questionnaire* and two components (Mental Health and Physical Health) in the *Health Questionnaire*. Below, these domains are denominated as components. *Communication Questionnaire* showed to be unidimensional. In all questionnaires, Cronbach's alpha coefficient was greater than 0.9.

In the present study, participants were asked to rate each item on a 5-point scale for the importance of being included

in training for NHPV. The response options varied from “not at all important to include” to “very important to include.”

Procedures

The assessment of training needs through the questionnaires was conducted in Portuguese and English, through the Google Forms platform. The participants were recruited through three NGOs and nine European NHPV social media groups. The invitation included the participation criteria and the link to assess the informed consent and the survey.

Statistical analysis

Due to the non-normal distribution of the results, non-parametric statistical tests were used in the comparative analyses. The variance of continuous variables for two groups was analyzed using the Mann–Whitney U test, with the effect size being calculated based on the following formula: $r = Z / \sqrt{N}$. For intragroup comparisons, the Friedman test was used. In this case, the effect size was indicated by Kendall's W value. If differences were statistically significant, pairwise comparisons were performed. The probability of type I error (α) of 0.05 was considered. Data were analyzed using IBM SPSS Statistics software (version 25, IBM SPSS, New York).

Results

Participants profile Ninety-four adults responded to the invitation to participate in the study; of those, 91 (62 women and 29 men from 6 continents and 35 countries, with an average age of 42 years and an average formal education of 14 years) completed the survey and were considered in further analyses (Table 1).

Most respondents (80%) claimed to have experience of working with AS&R. In most cases, this experience was gained in European countries (62%), in the context of voluntary work (47%) in NGOs (75%) and lasted 13 months or more (52%). The intention to collaborate with NGO for a period of 13 months or more also stood out in the responses of the participants with no previous experience of working with AS&R (50% and 33%, respectively). However, a great number of these respondents have not yet defined the work context and/or the geographic destination of the future collaboration (Table 2). Only 48% of respondents claimed to have training to work with AS&R. The training received was quite diversified in terms of format and content (Table 3). Still, it's worth emphasizing the role of NGOs in providing facilities (39% of reported cases) and trainers (52% of reported cases), necessary for the implementation of training actions.

Training needs assessment The assessment of training needs began with the question about the extent to which the

Table 1 Sociodemographic characteristics and geographical distribution of the study sample

Variables	
Gender: female/male	68%/32%
Age (years): mean $\pm$ SD (range)	41.53 $\pm$ 13.66 (20–73)
Education (years): mean $\pm$ SD (range)	14.46 $\pm$ 3.69 (3–17)*
Marital status	42% single, 41% married, 12% separated or divorced, 5% other
Occupation	42% employed full-time, 24% employed part-time, 23% unemployed, 11% student
Background to work with refugees and asylum seekers	42% with training and work experience 38% with only work experience 13% with no training and work experience 7% with only training experience
Geographical setting: continent (countries)	13% from Africa (Cameroon, Democratic Republic of the Congo, Ghana, Kenya, Nigeria, South Africa, Tanzania, Uganda) 13% from Asia (Afghanistan, Bangladesh, India, Iran, Iraq, Malaysia, Myanmar, Pakistan, Palestine) 55% from Europe** (Albania, Cyprus, France, Germany, Greece, Hungary, Italy, Luxembourg, Macedonia, Poland, Portugal, Spain, Sweden, United Kingdom) 8% from North America** (United States of America) 7% from South America (Brazil, Venezuela) 5% from Australia and Oceania (Australia)

* In counting education years, a maximum of 17 years was established, regardless of the number of undergraduate or postgraduate courses taken, or the achievement of academic titles equivalent to or higher than the PhD

** One participant has dual citizenship, of the United Kingdom and the United States of America

Table 2 Summary of actual or planned work experience with refugees and asylum seekers

	Participants with previous experience		Participants with plan or intention to work in the future
	Present (n = 33)	Past (n = 40)	Plan/intention (n = 18)
Actual or planned work context			
Freelancer (without affiliation)	21.2%	12.5%	5.6%
worker of an organizations	30.3%	42.5%	27.8%
volunteer in an organization	48.5%	45.0%	27.8%
not defined yet	----	----	38.9%
Actual or planned work time*			
≤ 3 months	21.2%	30.0%	16.7%
4–6 months	12.1%	7.5%	----
7–9 months	6.1%	5.0%	5.6%
10–12 months	----	10.0%	16.7%
≥ 13 months	60.6%	45.0%	33.3%
Not applicable	----	----	27.8%
Actual or planned organization			
Non-governmental organization	72.7%	77.5%	50.0%
government organisation	6.1%	7.5%	----
without affiliation with organization	12.1%	10.0%	5.6%
other	6.1%	5.0%	5.6%
not defined yet	----	----	38.9%
Actual or planned destination			
Anywhere	----	5.0%	38.9%
African countries	6.1%	12.5%	11.1%
Asian countries	3.0%	2.5%	11.1%
European countries	69.7%	55.0%	11.1%
North American countries	6.1%	----	5.6%
South American countries	3.0%	7.5%	16.7%
Australian and Oceanian countries intercontinental	9.1%	5.0%	----
	3.0%	12.5%	5.6%
Actual or planned setting**			
Refugee camp	18.2%	47.5%	27.8%
reception centre	18.2%	40.0%	11.1%
shelter for asylum seekers	18.2%	25.0%	27.8%
non-governmental organization facilities	42.4%	32.5%	22.2%
government facilities	12.1%	12.5%	----
other	51.5%	15.0%	5.6%
not defined yet	----	----	38.9%
Actual or planned activities**			
Formal education activities	27.3%	40.0%	33.3%
Informal learning activities	48.5%	47.5%	38.9%
distribution of food and/or materials	45.5%	40.0%	61.1%
organizational logistic activities	30.3%	35.0%	22.2%
translation activities	27.3%	25.0%	22.2%
others	63.6%	27.5%	27.8%

* One person with past work experience did not provided an answer for this question

** Multiple answer question

participants agree that NHPV who work with the population of interest should be trained to perform their role. Of all 91 participants, 74% agree. Partial and total disagreement rates were 10% each. Remaining answers fall into the category “neither disagree nor agree.” There were no significant differences in the level of agreement between participants with and without work experience ($U=550.50$; $p=0.217$). However, participants with training experience presented

a significantly higher level of agreement than participants without training ($U=759.50$; $p=0.011$), although the effect size was small (0.266).

The participants were also asked to select the most important reason for training to work with AS&R. Most respondents (55%) pointed to increase knowledge about strategies to help these vulnerable populations and themselves to deal with stressful situations. This selection did not depend

Table 3 Summary of training experience to work with refugees and asylum seekers

	Participants with previous training experience (n = 44)
Time of training delivery	45.5% before starting work with asylum seekers 50.0% while working with asylum seekers 4.5% after working with asylum seekers
Trainers' profiles	52.3% NGO professionals or volunteers 13.7% educational professionals 4.5% health professionals 22.7% multidisciplinary team 6.8% other
Country of training delivery	70.5% country of origin 27.3% country of the humanitarian mission/project development 2.3% other location
Setting of training delivery	34.1% NGO facilities where study participants have worked as volunteers or professionals 4.5% another NGO that have provided training for volunteers or professionals 11.4% government facilities (e.g., town halls, cultural and recreational centers) 13.6% refugee camps 4.5% reception center for asylum seekers 13.6% online training 18.2% other
Duration of training delivery	27.3% between 1 to 9 h 20.5% between 10 to 29 h 27.3% between 30 to 59 h 20.5% 60 h or more 4.4% missing responses
Topics covered in training*	31.8% mission logistics 27.3% legislation 15.9% inclusion-related topics 11.4% cultural interpreting 4.5% asylum seekers cultural harmful practices 11.4% personal skills 9.1% safeguarding 6.8% physical health – first aid 9.1% mental health – self protection 22.7% mental health – psychosocial support 2.3% ethical and moral issues 22.7% did not specify topics covered by training
Number of topics covered in training	34.1% received one topic-focused training 29.5% received two topics-focused training 6.8% received three topics-focused training 2.3% received four topics-focused training 2.3% received five topics-focused training 2.3% received eight topics-focused training

NGO, non-governmental organization

* Open-ended question with answers categorized by study authors

on working or training background. The second and third most frequently mentioned reasons were related to increase in knowledge about the contextual and legal conditions in which they live (23%) and to clarification about forced migration issues and their consequences on population of interest (11%), respectively. Increase in knowledge about ways to help the population of interest was the least selected reason (10%).

Intergroup comparisons The means and standard deviations for all questionnaires and components, organized according to work and training background, are presented in Table 4. Comparison of questionnaires scores showed no significant differences in the importance given to the training needs by participants with different backgrounds of work (Organization Management $U = 642.00$, $p = 0.881$; Cultural Ability $U = 621.50$, $p = 0.723$; Health $U = 618.50$, $p = 0.700$;

Table 4 Means and standard deviations of scores obtained in the assessment of training needs

	Work background		Training background	
	With work experience (n = 73)	Without work experience (n = 18)	With training experience (n = 44)	Without training experience (n = 47)
Organizational management	60.85 ± 12.25	56.94 ± 19.91	59.30 ± 14.33	60.81 ± 13.90
Team collaboration*	24.29 ± 4.97	22.44 ± 7.74	23.14 ± 5.82	24.66 ± 5.40
Accountability & management	21.63 ± 5.43	20.33 ± 7.99	21.23 ± 5.54	21.51 ± 6.45
Learning share	14.93 ± 3.55	14.17 ± 5.46	14.93 ± 4.10	14.64 ± 3.90
Cultural ability	61.25 ± 14.37	59.49 ± 16.27	58.75 ± 14.62	62.91 ± 14.62
Encounter & engagement knowledge & awareness	30.62 ± 7.99	28.65 ± 8.94	29.59 ± 8.03	30.82 ± 8.34
	30.63 ± 7.25	30.83 ± 8.30	29.16 ± 7.45	32.09 ± 7.19
Health	34.86 ± 7.99	34.78 ± 10.41	33.73 ± 8.85	35.89 ± 8.04
Mental health	23.71 ± 5.42	22.94 ± 7.93	22.91 ± 5.83	24.17 ± 6.07
Physical health	11.15 ± 3.21	11.83 ± 3.38	10.82 ± 3.46	11.72 ± 2.99
Communication	30.47 ± 7.17	29.78 ± 8.21	29.00 ± 7.64	31.57 ± 6.91

* The subscales vary in the number of items. The Cultural Ability questionnaire has two components with eight items each. The Team Collaboration, Accountability & Management, and Mental Health components are composed of six items each. The Learning Share component includes four items, and the Physical Health subscale includes three items

Communication $U = 638.00$, $p = 0.850$) and training (Organization Management $U = 962.50$, $p = 0.570$; Cultural Ability $U = 852.00$, $p = 0.148$; Health $U = 891.50$, $p = 0.256$; Communication $U = 832.00$, $p = 0.108$). Participants with and without work experience also did not differ in components scores. As for participants with and without training experience, one significant difference was found, namely in the importance given to the Encounter & Engagement-related needs, although the effect size was small ($U = 779.00$, $p = 0.042$, $r = 0.21$).

Intragroup comparisons Regarding the importance given to the training needs addressed in the four questionnaires, intragroup comparison of the proportions of the total scores obtained, performed for the total sample, did not show significant differences ($\chi^2_F(3) = 5.492$, $p = 0.139$). The same was verified in relation to the subgroups with and without work experience ($\chi^2_F(3) = 2.923$, $p = 0.404$; $\chi^2_F(3) = 4.200$, $p = 0.241$; respectively) and with and without training experience ($\chi^2_F(3) = 3.568$, $p = 0.312$; $\chi^2_F(3) = 5.039$, $p = 0.169$; respectively). However, when the analyses considered components scores, the differences observed revealed to be statistically significant in the total sample ($\chi^2_F(7) = 41.585$, $p < 0.001$, $w = 0.07$), in the subgroups with work and training experience ($\chi^2_F(7) = 36.335$, $p < 0.001$, $w = 0.07$; $\chi^2_F(7) = 20.807$, $p = 0.004$, $w = 0.07$; respectively) and in the subgroup without training experience ($\chi^2_F(7) = 28.397$, $p < 0.001$, $w = 0.09$). In the subgroup without work experience, the differences remained non significant ($\chi^2_F(7) = 13.228$, $p = 0.067$).

Pairwise comparisons performed for the total sample showed that greater importance was given to training needs related to Accountability & Management as compared to Learning Share, Team Collaboration and Communication, as well as to training needs related to mental health as compared to Learning Share and Communication. In the subgroup with work experience, Accountability & Management-related needs were valued more than needs from the scope of Learning Share, Communication, and Physical health, and Mental health-related needs were more valued than Learning Share-related needs. Participants with and without training experience recognized as more important Accountability & Management-related needs as compared to Learning Share-related needs. The subgroup without training experience also valued more mental-health related needs than Learning Share-related needs.

Discussion

Organizational management, communication, cultural abilities, and health competences are the main domains on which the participants had to decide whether they should be included in a training program to work with AS&R. All the participants considered it important to include the competencies presented in the questionnaires, regardless of the training background or working experience with AS&R.

This study's results show that NHPV agree with the inclusion of content promoting organizational management

competences in the training programs. Meaning they are aware of the importance of knowing how to manage resources to improve peoples' lives, working collaboratively and effectively with all people irrespective of their background or function, and assuming a professional conduct of responsibility about the outcomes (United Nations 2017a, b). While *Accountability & Management* training competences are more related to the NHPV' role in the organization (action plan, strategies, and resources), topics related to the *Learning Share* and *Team Collaboration* concern sharing knowledge and increasing the effectiveness of work with others through contributions of health professionals with fieldwork experience.

Cultural abilities are the ones that most interest NHPV and the trained participants seem to care more about *Encounter & Engagement*-related competences than untrained ones. Nonetheless, to enhance the cultural *Encounter & Engagement*, NHPV should be aware of their cultural *Knowledge & Awareness* to respect AS&R norms and cultural beliefs (European Union 2019). It is no coincidence that cultural abilities are of most interest, as they can influence the way people relate to each other, and how people understand the others' needs and behaviors (Bundesministerium für Familie Senioren, Frauen und Jugend 2017; Jaffe et al. 2012). Cultural abilities training is of paramount importance for those working in multicultural complex contexts. Health professionals such as nurses, as the AS&R's first contact with health services and as health educators par excellence, are the cornerstones of caring for AS&R (International Council of Nurses [ICN] 2019; ICN 2018, 2006). Nurses can contribute with in-depth knowledge about cultural competencies helping NHPV to learn about AS&R cultural and religious characteristics; and they know these characteristics influence relationships and encounters.

In multicultural contexts, communication is one of the most necessary skills to work and it is also one of the major barriers for AS&R (UNHCR 2021a), as it can easily be influenced by interlocutors' cultural competencies. NHPV use verbal and non-verbal communication to engage with AS&R, colleagues, and partners, who have different cultural, religious, linguistic backgrounds (European Union 2019; ICN 2019). NHPV ability to communicate, based on cultural abilities (European Union 2019; ICN 2019, 2018), is the key to understand behaviors, cultures, and ways to help AS&R. In this field, health professionals can provide training on basic principles of cross-cultural communication, contextual, cultural, and religious factors that affect communication and strategies to communicate.

Regarding the health domain, participants unanimously agree about the need for training in physical and mental health. In this study, the health concept highlights the physical and mental needs related to the asylum process, such as referring to specialized health care and providing first-aid

support. Training by health professionals, who are prepared to teach how an individual's beliefs, values, and cultural attitudes contribute to the AS&R concept of health (ICN 2018) and the manifestations of physical or mental illness, is crucial for the NHPV, as they need to be alert to daily manifestations of diseases or the help-seeking behavior. With proper training by health professionals, NHPV can advocate for the health rights and resources for AS&R, but only if they are aware of AS&R' needs and strategies to help them.

The literature about the capacity building of the refugee-related workforce reveals that the training in health and well-being topics covers child protection, women empowerment, and violence, even for those volunteers without a health background (Teixeira-Santos et al. 2023). These facts are corroborated in the survey's descriptive part of this study where participants described the topics, they would include in a training program.

This study's results also show that participants agree that mental health training is essential to empower them to deal with stressful situations. Surprisingly, participants found learning the basic principles of helping others to be just as important as learning about the strategies for protecting their own mental health, revealing that they are aware that working with AS&R can lead to mental health challenges. In fact, mental health training is crucial not only for providing adequate care for AS&R, but also for the NHPV' mental health preparation and safety. Psychologically trained refugee helpers had lower burnout levels and somatic symptoms when compared with untrained aid workers (De Jong et al. 2021; Jobst et al. 2018; Pell 2013). The UNHCR defend that primary well-being intervention with AS&R can be provided for trained and supervised non-specialized mental health volunteers (UNHCR 2021b).

Most of the participants (74%) agreed that it is necessary to receive training to work with AS&R, especially to increase knowledge about strategies to help refugees, asylum seekers, and themselves to deal with stressful situations. Although there are no significant differences in the level of agreement between participants with and without professional experience, participants with training had a significantly higher level of agreement than participants without such background.

In this study, most of the participants (62%) had experience working with AS&R acquired in European countries as part of voluntary work in NGOs for more than a year. These findings may have been influenced by the invitation through NGO groups with greater intervention in Europe as they are dealing with the largest number on record of forcibly displaced people (UNHCR 2023; World Economic Forum 2022; Carrera 2019; Kalogeraki 2018; Bernát et al. 2016).

Even though the majority of NHPV agree with prior training to work with AS&R, as there is no specific and mandatory training to work/intervene with AS&R (Godin

2020), less than half (48%) of the NHPV with field experience, included in this study, have training to work with AS&R. When the training-related information is analyzed, it is possible to verify that 50% of participants receive the training while working with AS&R and that, on average, the training covers just one topic and has a duration of 1 to 9 h. The average of topics per training and the training duration do not seem to meet the training of competencies that participants revealed to need when completing the questionnaires of this study.

Volunteers often receive inadequate training (Jobst et al. 2018; Save the Children 2017; Fletcher 1987). Moreover, the training is frequently under-emphasized because most volunteers are perceived as competent and employed professionals who are donating their spare time (Kende et al. 2017; Starnes and Wymer 2001). Consequently, unexperienced volunteers must rely on unsupervised on-the-job training as well as solicited support from other volunteers (Save the Children 2017; Guhan and Liebling-Kalifani 2011; Fletcher 1987). Experienced volunteers usually have a diverse range of skills, including logistics, human resources, finance, health, engineering, and so on, and we can assume that most participants have differentiated skills due to the average of 14 years of education. However, given the diversity of field situations and the fact that most experienced participants have worked more than a year in the field, they should also have competencies across a whole set of other areas, including management, communication, negotiation, teamwork, etc. (Dempsey-Brench and Shantz 2022; Clarke et al. 2019).

This study's results clearly show a deficit in the training of NHPV who can identify training needs beyond those they received, being in line with the conclusions of a recent scoping review that denounce the insufficiency of training programs for NHPV (Teixeira-Santos et al. 2023) and their ineffectiveness in meeting the training needs identified by this study's participants as necessary to work with AS&R.

This study's major strength is that we can use the questionnaires to construct or adapt a training program as needed. The level of agreement between NHPV with different training and working background regarding the concepts of interest show that all of them could be included in training programs that prepare NHPV to work with AS&R.

These results show that health professionals could invest in training NHPV not only to better prepare them for their daily work but also to empower them to care for and refer AS&R to health care. This study indicates that organizational management, communication, cultural abilities, and health domains are fundamental to design training programs for NHPV working with AS&R where health professionals can lead.

The limitation of this study is the inclusion of participants with specific interest in the topic as they were recruited through NGOs or social media groups focused on helping AS&R. Future studies could increase the sample size and include people with more diversified educational and professional backgrounds. In future research, it would also be valuable to investigate the efficacy of novel training approaches and to contrast the training requirements of volunteers and non-healthcare professionals with those of healthcare professionals aiding refugees and asylum seekers.

Conclusions

NHPV receive limited and inadequate training to work with AS&R. They unanimously agree that organizational management, communication, cultural abilities, and health domains should be included in training programs. Health professionals can have a vital role in developing and improving the training programs for NHPV working with AS&R, which can easily be adapted to the training needs and contexts using this study's questionnaires.

Acknowledgements This study is a part of the PhD project APT4U2 funded by the Portuguese Foundation for Science and Technology with the reference number 2020.06712.BD.

Contributions Conceptualization: LTS, EBC, and WA; Methodology: LTS and EBC; Formal analysis and investigation: LTS and EBC; Writing—original draft preparation: LTS and EBC; Writing—review and editing: LTS, EBC, and WA; Funding acquisition: LTS; Resources: LTS; Supervision: WA.

Funding Open access funding provided by FCTIFCCN (b-on). This study is a part of the APT4U2, a PhD project, funded by the Portuguese Foundation for Science and Technology (FCT) reference number 2020.06712.BD.

Data availability The data that support the findings of this study are available from the corresponding author upon request.

Code availability Not applicable.

Declarations

Ethical approval This study is a part of the APT4U2, a PhD project which was approved by the Ethics committee of the Health Sciences Research Unit: Nursing (no. 0 P742 12/2020).

Consent to participate All participants were required to consent to participate at the start of the electronic survey.

Consent for publication Not applicable.

Conflict of interest The authors declare that they have no conflict of interest.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Aldamman K, Tamrakar T, Dinesen C, Wiedemann N, Murphy J, Hansen M, Elsiddig Badr E, Reid T, Vallières F (2019) Caring for the mental health of humanitarian volunteers in traumatic contexts: the importance of organisational support. *Eur J Psychotraumatol* 10(1). <https://doi.org/10.1080/20008198.2019.1694811>
- Apostolidou Z (2016) The notion of professional identity among practitioners working with asylum seekers. A discursive analysis of practitioners' experience of clinical supervision and working context in work with asylum seekers. *Eur J Psychother Counsell* 18(1):4–18. <https://doi.org/10.1080/13642537.2015.1130073>
- Bailey H, Kaplan L (2022) Volunteerism during humanitarian crises: A practical guide. *Critical Care* 26(1). <https://doi.org/10.1186/s13054-022-03984-4>
- Bernát A, Kertész A, Tóth F (2016) Solidarity reloaded: volunteer and civilian organizations during the migration crisis in Hungary. *SZOCIOLÓGIAI SZEMLE* 26(4). pp 29–52
- Birck A (2001) Secondary Traumatization and burnout in professionals working with torture survivors. *Traumatology* 7(2):85–90. <https://doi.org/10.1177/153476560100700203>
- Bundesministerium für Familie Senioren, Frauen und Jugend (2017) Engagement in der Flüchtlingshilfe. Bundesministerium für Familie Senioren, Frauen und Jugend. <https://www.bmfsfj.de/blob/122010/d35ec9bf4a940ea49283485db4625aaf/engagement-in-der-fluechtlingshilfe-data.pdf>. Accessed 06 Nov 2023
- Campinha-Bacote J (2002) The process of cultural competence in the delivery of healthcare services: a model of care. *J Transcult Nurs* 13(3):181–184. <https://doi.org/10.1177/10459602013003003>
- Carrera S (2019) An Appraisal of the European Commission of Crisis: Has the Juncker Commission delivered a new start for EU Justice and Home Affairs? CEPS Paperbacks, 21 January 2019. <https://www.ceps.eu/publications/appraisal-european-commission-crisis>
- Clarke M, Perreard S, Connors P (2019) Building a humanitarian sector career: understanding the education vs experience tension. *Third World Quart* 40(9):1655–1669. <https://doi.org/10.1080/01436597.2019.1601549>
- Collins S, Long A (2003) Working with the psychological effects of trauma: consequences for mental health-care workers - A literature review. *J Psychiatr Ment Health Nurs* 10(4):417–424. <https://doi.org/10.1046/j.1365-2850.2003.00620.x>
- De Jong K, Martinmäki S, Te Brake H, Haagen J, Kleber R (2021) Mental and physical health of international humanitarian aid workers on short-term assignments: findings from a prospective Cohort Study. *Soc Sci Med* 285:114268. <https://doi.org/10.1016/j.socscimed.2021.114268>
- Deering D (1996) Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatized. *J Psychosoc Nurs Ment Health Serv* 34(11):52–52. <https://doi.org/10.3928/0279-3695-19961101-26>
- Dempsey-Brench K, Shantz A (2022) Skills-based volunteering: a systematic literature review of the intersection of skills and employee volunteering. *Hum Resour Manag Rev* 32(4):100874. <https://doi.org/10.1016/j.hrmr.2021.100874>
- European Commission (2022) Forced displacement: refugees, asylum seekers and internally displaced persons. European Civil Protection and Humanitarian Aid Operations. https://civil-protection-humanitarian-aid.ec.europa.eu/what/humanitarian-aid/forced-displacement_en. Accessed 06 Oct 2023
- European Economic and Social Committee (2017) How civil society organisations assist refugees and migrants in the EU: successful experiences and promising practices from the 2016 EESC civil society prize. <https://data.europa.eu/doi/10.2864/06381>. <https://doi.org/10.2864/06381>. Accessed 02 Nov 2023
- European Union (2019) Guide for training migrant volunteers. VAI Volunteering among Immigrants in Work Package 2. https://www.vai-project.eu/wp-content/uploads/2019/10/Guide_Training_english_klein.pdf. Accessed 13 Oct 2023
- Fletcher KB (1987) The 9 keys to successful volunteer programs. Taft Group, Washington, D.C
- Giger JN, Davidhiza RE (1999) Transcultural nursing (4th ed). Mosby
- Gleeson C, Frost R, Sherwood L, Shevlin M, Hyland P, Halpin R, Murphy J, Silove D (2020) Post-migration factors and mental health outcomes in asylum-seeking and refugee populations: a systematic review. *Eur J Psychotraumatol* 11(1):1793567. <https://doi.org/10.1080/20008198.2020.1793567>
- Godin M (2020) Volunteer tourists are still showing up at Greek refugee camps. Are they really helping? TIME. <https://time.com/5778412/volunteer-tourism-greece-refugee-humanitarian/>. Accessed 12 Oct 2023
- Guhan R, Liebling-Kalifani H (2011) The experiences of staff working with refugees and asylum seekers in the United Kingdom: a grounded theory exploration. *J Immigr Refug Stud* 9(3):205–228. <https://doi.org/10.1080/15562948.2011.592804>
- ICN (2006) Nurses and disaster preparedness, ICN. http://www.icn.ch/images/stories/documents/publications/position_statements/A11_Nurses_Disaster_Preparedness.pdf. Accessed 28 June 2023
- ICN (2018) Health of Migrants, Refugees and Displaced Persons - ICN, ICN Position Statement. https://www.icn.ch/sites/default/files/inline-files/PS_A_Health_migrants_refugees_displaced%20persons_0.pdf. Accessed 28 Sept 2023
- ICN (2019) International Council of Nurses highlights the vital role of nurses in the care and wellbeing of refugees and Migrants, ICN. <https://www.icn.ch/news/international-council-nurses-highlights-vital-role-nurses-care-and-wellbeing-refugees-and>. Accessed 28 July 2023
- Jaffe E, Sasson U, Knobler H, Aviel E, Goldberg A (2012) Volunteers and the risk of posttraumatic stress disorder. *Nonprofit Manag Leadersh* 22(3):367–377. <https://doi.org/10.1002/nml.20059>
- Jobst E, Gall C, Eiche C, Birkholz T, Prottegeier J (2018) Do good, stay well. well-being and work satisfaction among German refugee helpers: a national cross-sectional study. *PLOS ONE* 13(12). <https://doi.org/10.1371/journal.pone.0209697>
- Kalogeraki S (2018) 'Volunteering for refugees and asylum seekers in Greece', *Solidarity in Europe*, pp. 169–194. https://doi.org/10.1007/978-3-319-73335-7_7
- Kende A et al (2017) The politicized motivations of volunteers in the refugee crisis: intergroup helping as the means to achieve social change. *J Soc Polit Psychol* 5(1):260–281. <https://doi.org/10.5964/jssp.v5i1.642>
- Pell M (2013) Secondary traumatised of helpers in dealing with traumatised refugees. Thesis. University of Vienna
- Save the Children (2017) The truth about voluntourism. <https://www.savethechildren.org.au/our-stories/the-truth-about-voluntourism>. Accessed 13 Oct 2023

- Starnes B, Wymer W (2001) Conceptual foundations and practical guidelines for retaining volunteers who serve in local nonprofit organizations: Part II. *J Nonprofit & Public Sector Marketing* 9(1–2):97–118. https://doi.org/10.1300/j054v09n01_06
- Stevens G, Sharma A, Skeoch K (2022) Help-seeking attitudes and behaviours among humanitarian aid workers. *Int J Humanitarian Action* 7:16. <https://doi.org/10.1186/s41018-022-00126-x>
- Teixeira-Santos L, Ventura F, Teixeira L, Cardoso D, Abreu W (2022) Mental health training programs for Non-Health professionals and volunteers working with asylum seekers and refugees: a scoping review protocol. *Nurs Reports* 12(1):90–99. <https://doi.org/10.3390/nursrep12010010>
- Teixeira-Santos L, Ventura F, Santos J, Almeida I, Abreu W (2023) Mental health training programs for non-health professionals and volunteers working with asylum-seekers and refugees: scoping review. *Revista Da Escola de Enfermagem Da USP*, 57(spe). <https://doi.org/10.1590/1980-220x-reeusp-2022-0447en>
- UNHCR (2017) Working in Partnership. <https://www.unhcr.org/564da0ea0.pdf>. Accessed 13 Oct 2023
- UNHCR (2021a) Improving communication accessibility for refugees with communication disabilities through capacity building - a case study from Rwanda, UNHCR. <https://www.unhcr.org/sites/default/files/legacy-pdf/60e5ad650.pdf>. Accessed 2023
- UNHCR (2021b) Strengthening mental health and psychosocial support in 2021, UNHCR. www.unhcr.org/602b94e37.pdf. Accessed 28 July 2023
- UNHCR (2023) Global trend force displacement in 2022. <https://www.unhcr.org/sites/default/files/2023-06/global-trends-report-2022.pdf>. Accessed 10 Oct 2023
- United Nations (2017a) UN Competencies for the Future-UN careers. UNITED NATIONS. https://careers.un.org/lbw/attachments/competencies_booklet_en.pdf. Accessed 10 Sept 2023
- United Nations (2017b) Module 3: individual peacekeeping personnel. UN core values and competencies. <https://resourcehub01.blob.core.windows.net/training-files/Training%20Materials/003%20CPTM-EN/003-114%20FINAL%20Lesson%203.1%20050517.pdf>. Accessed 10 Sept 2023
- Wirth T, Mette J, Prill J, Harth V, Nienhaus A (2019) Working conditions, mental health and coping of staff in social work with refugees and homeless individuals: a scoping review. *Health & Social Care Commun* 27(4). <https://doi.org/10.1111/hsc.12730>
- World Economic Forum (2022) How to respond to the humanitarian crisis in Ukraine - 4 ngos explain, World Economic Forum. <https://www.weforum.org/agenda/2022/04/ngos-are-responding-to-the-humanitarian-crisis-in-ukraine-four-of-them-explain-how/>. Accessed 28 May 2023

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.